Notice of Allowability	Application No.	Applicant(s)	
	09/638,861 YAMAGUC		OSHIHIRO
	Examiner	Art Unit	
	Michael Burleson	2626	
The MAILING DATE of this communication of All claims being allowable, PROSECUTION ON THE MERIT herewith (or previously mailed), a Notice of Allowance (PTOL NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATEN of the Office or upon petition by the applicant. See 37 CFR 1	S IS (OR REMAINS) CLOSED in -85) or other appropriate commu IT RIGHTS. This application is si	this application. If not inc	cluded due course. THIS
1. This communication is responsive to		•	
2. The allowed claim(s) is/are <u>1-11</u> .			
3. The drawings filed on 15 August 2000 are accepted by	y the Examiner.		
 4. Acknowledgment is made of a claim for foreign priorital and a land a land and a land	have been received. have been received in Applicatior	ı No	elication from the
Applicant has THREE MONTHS FROM THE "MAILING DA noted below. Failure to timely comply will result in ABAND THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	TE" of this communication to file and application.	a reply complying with the	e requirements
5. A SUBSTITUTE OATH OR DECLARATION must be s INFORMAL PATENT APPLICATION (PTO-152) which	ubmitted. Note the attached EXA gives reason(s) why the oath or	MINER'S AMENDMENT of declaration is deficient.	or NOTICE OF
 CORRECTED DRAWINGS (as "replacement sheets") (a) including changes required by the Notice of Drafts 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Example Paper No./Mail Date Identifying indicia such as the application number (see 37 C 	person's Patent Drawing Review	n the Office action of	t the back) of
each sheet. Replacement sheet(s) should be labeled as such	in the header according to 37 CFF	ł 1.121(d).	,
 DEPOSIT OF and/or INFORMATION about the d attached Examiner's comment regarding REQUIREME 	eposit of BIOLOGICAL MATE INT FOR THE DEPOSIT OF BIO	RIAL must be submitte LOGICAL MATERIAL	d. Note the
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-9) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/9 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Depot of Biological Material 	48) 6. Interview Sur Paper No./N SB/08), 7. Examiner's A	ormal Patent Application (mmary (PTO-413), fail Date whendment/Comment statement of Reasons for	

Application/Control Number: 09/638,861

Art Unit: 2626

Reasons for Allowance

- 1. The following is an examiner's statement of reasons for allowance: The prior art references do not disclose all of the features of claims 1-11.
- 2. Regarding claim 1, prior art references do not disclose the feature of a density measuring device that measures densities of C, M and Y colors according to the amounts of the reflected lights of the test patterns of R, G and B colors that are acquired from said light-receiving sensor and an adjusting device that adjusts color production of the C, M and Y layers of said color photographic paper so that the measured densities of C, M and Y colors are target densities.
- 3. Regarding claim 9, prior art references do not disclose the feature of sequentially measuring amounts of reflected lights of the test patterns of R, G and B colors with a light-receiving sensor that has spectral sensitivity characteristics in wavelength areas of R, G and B colors, calculating densities of C, M and Y color according to the amounts of the reflected lights of the test patterns of R, G and B colors and adjusting color production of the C, M and Y layers of said color photographic paper so that the calculated densities of C,M and Y colors are target densities.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2626

Conclusion

1. Any inquiry concerning this communication should be directed to Michael Burleson whose telephone number is (703) 305-8683 and fax number is (703) 746-3006. The examiner can normally be reached Monday thru Friday from 8:00 a.m. – 4:30p.m. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kimberly Williams can be reached at (703) 305-4863

KIMBERLY WILLIAMS
SUPERVISORY PATENT EXAMINER

Michael Burleson Patent Examiner Art Unit 2626

Mlb November 10, 2004